



UNITED STATES PATENT AND TRADEMARK OFFICE

ben

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/690,388	10/21/2003	Vladimir Gurevich	1549	2379

7590 10/12/2006
Fay Kaplun & Marcin, LLP
Suite 702
150 Broadway
New York, NY 10038

EXAMINER

QI, ZHI QIANG

ART UNIT	PAPER NUMBER
----------	--------------

2871

DATE MAILED: 10/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/690,388	Applicant(s) GUREVICH ET AL.	
	Examiner Mike Qi	Art Unit 2871	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 August 2006 and 12 July 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8,10,12-18 and 20-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8,10,12-18 and 20-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 4, 2006 has been entered.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 3-8, 10, 13-18, 20 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 6,462,805 B1 (Wu et al) in view of US 4,093,356 (Bigelow), and further in view of US 6,801,283 (Koyama et al).

Regarding claims 1, 8, 10, 18, 20 and 26, Wu teaches (col.6, line 57 – col.7, line 54; Figs.3A, 3B) that a liquid crystal display comprising:

- back light (light source 350 and mirror 360) on a bottom surface of the display device for generating light and transmitting light;

Art Unit: 2871

- circular polarizer (330-B) (first circular polarizer or internal circular polarizer) having lower side (first side) adjacent to a upper side (first side) of the back light (350, 360);
- liquid crystal display (320) having a lower side (first side) adjacent to a upper side (second side) of the circular polarizer (330-B) (first circular polarizer);
- transfective mirror (340) (two-way mirror) is positioned on the outer surface of the rear substrate (310-B) (outer surface of the LCD), i.e., having a upper side (first side) adjacent to a lower side (first side) of the liquid crystal display (320);
- circular polarizer (330-A) (second circular polarizer or external circular polarizer) having a lower side (first side) adjacent to the upper side (second side) of the liquid crystal display (320); and the circular polarizer having the function to absorb the reflected external incident light and transmitted light, and that is the property of the circular polarizer;
- liquid crystal display (320) interposed between the first circular polarizer (330-B) and the second circular polarizer (330-A).

Wu does not explicitly teach a first circular X-polarizer and a second circular X-Polarizer, and the liquid crystal display set to quarter-wave retardation.

According to the specification (such as paragraph 0006), each of the ECP 20 (external circular polarizer) and ICP 30 (internal circular polarizer) includes a linear X-polarizer in combination with a quarter wave plate. Therefore, the circular X-polarizer is a linear X-polarizer in combination with a quarter wave plate.

Bigelow teaches (col.3, line 5 – col.4, line 52; Figure) using a linear X-polarizer (40) with a quarter-wave plate (35) (the linearly polarization in X-direction such as polarization vector 41), so as to emerge a light beam having circular polarization, and that this functions as a circular X-polarizer. Generally, a circular X-polarizer is formed from the linear X-polarizer and the quarter wave plate. The second circular polarizer in Wu either a circular X-polarizer or a circular Y-polarizer has an equivalent function to absorb light except obtaining an inversed image (bright and dark). This is the same as the equivalent of having an ON voltage produce a bright spot and an OFF voltage produce a dark spot, and having an OFF voltage produce a dark spot and an ON voltage produce a bright spot. These are art-recognized equivalents, so it would have been obvious to use a circular X-polarizer. The skilled in the art would be benefited from the liquid crystal structure of Wu using circular polarizer and benefited from the circular polarizer having linear X-polarizer in combination with the quarter wave plate to form the first circular X-polarizer (internal circular X-polarizer) and the second circular X-polarizer (external circular X-polarizer), and such transfective display obtaining transmissive display and facilitate use of the display in reflective mode (see col.1, lines 55 – 68 in Bigelow), thus improving the light utilization efficiency.

Therefore, it would have been obvious to those skilled in the art at the time the invention was made to modify the image display device of Wu with the teachings of the combination of the linear X-polarizer and the $\lambda/4$ plate forming a circular X-polarizer as taught by Bigelow, since the skilled in the art would be motivated for improving the light utilization efficiency.

Wu and Bigelow teach the invention set forth above except for that the liquid crystal display set to quarter-wave retardation.

Koyama teaches (col.8, line 53 – col.9, line 11) that liquid crystal layer serve as a quarter wave retarder (set to quarter wave retardation) constituting a wide-band circular polarizer, and it allows a white display in the reflective section to near real white, while having the thickness of the liquid crystal layer easy to manufacture.

Therefore, it would have been obvious to those skilled in the art at the time the invention was made to modify the image display of Wu and Bigelow with the teachings of the liquid crystal display set to quarter wave retardation as taught by Koyama, since the skilled in the art would be motivated for achieving a wide-band circular polarizer and obtaining a real white display while having the thickness of the liquid crystal layer easy to manufacture.

Regarding claims 3 and 13, Wu teaches (col.4, lines 36-39) that the device is a transflective display.

Regarding claims 4-5, 14-15, Wu teaches (col.4, lines 36-39) that the device is a reflective display using a front-lit (front light).

Regarding claims 6-7 and 16-17, Wu, Bigelow and Koyama teach the invention set forth above except for that the first and second X-polarizers arranged on the outer surface and quarter-wave plates on the inner surface.

Wu further teaches (Figs.3a, 3B) the circular polarizers (330-a,330-B) are arranged on the outer surface of the display. Bigelow further teaches (col.3, line 5 – col.4, line 52; Figure) that the X-polarizers arranged on the outer surface and quarter-

Art Unit: 2871

wave plate on the inner surface, such as shown in the Figure, so that the X-polarizers are arranged on the outer surface and the quarter-wave plates on the inner surface, and such transfective display obtaining transmissive display and facilitate use of the display in reflective mode (see col.1, lines 55 – 68), thus improving the light utilization efficiency.

Therefore, it would have been obvious to those skilled in the art at the time the invention was made to modify the image display device of Wu, Bigelow and Koyama with the teachings of the combination of the linear X-polarizer and the $\lambda/4$ plate as taught by Bigelow, since the skilled in the art would be motivated for improving the light utilization efficiency (see col.1, lines 55 – 68).

3. Claims 2 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu, Bigelow and Koyama as applied to claims 1, 3-8, 10,13-18, 20 and 26 above, and further in view of US 6,738,117 B2 (Minakuchi).

Regarding claims 2 and 12, Wu, Bigelow and Koyama teach the invention set forth above except for using touch pad between the second (upper) circular polarizer and liquid crystal display.

Minakuchi teaches (col.6, lines 58 – 64; Fig.8) that using touch panel (4) as a transparent protection plate. Minakuchi indicates (col.1, lines 40-41) that a polarizing plate and a quarter-wave plate would obtain a circular polarizing plate, so that the polarizing plate (2) and quarter-wave plate (1) would form a circular polarizer. Therefore, the touch panel (4) is arranged between the circular polarizer and the liquid crystal display (20). Minakuchi indicates (col.1, line 66 – col.2, line 2) that such

Art Unit: 2871

protection plate (using touch panel as a transparent protection plate) improves the brightness, visibility and viewing angle characteristic of the display.

Therefore, it would have been obvious to those skilled in the art at the time the invention was made to modify the image display device of Wu, Bigelow and Koyama with the teachings of a touch pad between the circular polarizer and the liquid crystal display as taught by Minakuchi, since the skilled in the art would be motivated for achieving the improvement of the brightness, visibility and viewing angle characteristic of the display and protecting the viewing screen (see col.1, line 66-col.2, line 2), and the combination of the touch panel with circular polarizing plate would improve coloring of a displayed view in an oblique direction (see col.2, lines 4-8).

4. Claims 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu, Bigelow and Koyama as applied to claims 1, 3-8, 10,13-18, 20 and 26 above, and further in view of US 6,642,977 B2 (Kotchick et al).

Regarding claim 21-23, Wu, Bigelow and Koyama teach the invention set forth above except for that the display device is used in a computing device having a processor processing data, such as a mobile computing device having wireless communication arrangement.

Kotchick teaches (col.18, lines 6-33; Fig.9-10) that using computer system having processing unit (CPU) processing data, such as using phone to collect data, and through wireless connection being connected to a computer network, and that the liquid crystal display used in the computing device would only given weight as an intended

use as any display can be used in that computing device, and that would have been at least obvious.

5. Claims 24-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu, Bigelow, Koyama and Kotchick as applied to claims 1, 3-8, 10, 13-18, 20 and 26 and 21-23 above, and further in view of US 5,548,108 (Moldskred et al).

Regarding claims 24-25, Wu, Bigelow, Koyama and Kotchick teach the invention set forth above except for a data capturing arrangement obtaining data, such as using barcode reader or RFID reader.

Moldskred teaches (col.1, lines 20-53) that it is known in the art to use a non-contact scanning device to cause a beam of light to scan across an area containing a barcode, and such scanning symbols would decode and store data fast where a large number of symbols are read within a short period of time, and that is used in the known market.

Therefore, it would have been obvious to those skilled in the art at the time the invention was made to modify the image display device of Wu, Bigelow, Koyama and Kotchick with the teachings of data capturing arrangement obtaining data, such as using barcode reader or RFID reader as taught by Moldskred, since the skilled in the art would be motivated for achieving a large number of symbols are read within a short period of time (see col.1, lines 20-53).

Response to Arguments

6. Applicant's arguments filed on July 12, 2006 have been fully considered but they are not persuasive.

In response to applicant's argument that the references do not teach a liquid crystal display set to quarter-wave retardation, it is respectfully point out that in Koyama teaches (col.8, line 53 – col.9, line 11) a liquid crystal layer serve as a quarter wave retarder (set to quarter wave retardation) constituting a wide-band circular polarizer, and it allows a white display in the reflective section to near real white, while having the thickness of the liquid crystal layer easy to manufacture. Therefore, the combination of the references would render obvious.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Qi whose telephone number is (571) 272-2299. The examiner can normally be reached on M-T 8:00 am-5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Mike Qi
Patent examiner
Sep. 28, 2006